Sanitized - Approved For Belease : CIA-BDP 1000 PROVIDED 10100076-4

Report For Week Ending 20 March 1956 RECORDS CENTER

Accessioning

During this week the following accessions were made:

OL PERS DCI MEDICAL OCR COMPTROLLER OO ORR	7 Cu. Ft. 3 " " 1 " " 8 " " 110 " " 17 " " 8 " " 2 " " 2 " "
DD/P Sub-Total: Finished Intelligence Total:	2277 Cu. Ft. 24 " " 2301 Cu. Ft.

2277

Records Holdings
Distribution Material Holdings
Total:

13,415 Cu. Ft. 11,197 " " 24,612 Cu. Ft.

Reference

25X1A2g

OCR/Library submitted a request for the loan of 110 copies of in supplemental files. The Center was able to furnish 70 of these reports. These are to be refilmed for future use in the Apparature Card Section.

25X1A2g

General

The transfer of DD/I and DD/F records from the first to the second floor respectively has been completed.

The sharp increase in record holdings is due to 2089 cubic feet of DD/F records accumulated since 14 November 1955. In the future the Center will account for these records in the weekly report when received.

The backlog of NIS Map Negatives, presently being received from OBI for vital storage, has been completed. Future shipments of NIS Map Negatives will be limited to 4 or 5 boxes monthly.

Sanitized - Approved For Release : CIA-RDP70-00211R000200100076-4

Sanitized - Approved For Release : CIA-RDP70-02211R009200120076-4

General: Continued

The Center discovered nitrate film in a job retired by OCR/Library. Nitrate film rapidly deteriorates and is highly inflammable. Action is being taken for converting this nitrate film to safety film or disposal authorization.

25X1A9a

Chief, Records Center